



Contract - Detailed

Pella Window and Door Showroom of Beltsville
12100 Baltimore Avenue Suite 1
Beltsville, MD 20705-1363
Phone: (301) 685-1715 Fax:

Sales Rep Name:
Sales Rep Phone:
Sales Rep Fax:
Sales Rep E-Mail:

Customer Information	Project/Delivery Address	Order Information
		<p>Quote Name:</p> <p>Order Number: 060</p> <p>Quote Number: 17542415</p> <p>Order Type: Non-Installed Sales</p> <p>Wall Depth:</p> <p>Payment Terms: C.O.D. None</p> <p>Tax Code: 11/10/2023</p> <p>Cust Delivery Date:</p> <p>Quoted Date:</p> <p>Contracted Date:</p> <p>Booked Date:</p> <p>Customer PO #:</p>

Customer Notes: PELLA LIFESTYLE SERIES WINDOWS
BLACK CLAD EXTERIOR
BLACK STAINED INTERIOR
BLACK HARDWARE
FULL SCREENS
SDL GRILLES W/ SPACER - * FRONT ELEVATION ONLY *
FINS
6 9/16" JAMB EXTENSIONS

IMPERVIA UNITS AS NOTED

PELLA FIBERGLASS HINGED DOORS AS NOTED

Deduct \$2248.49 to change grilles to Grilles Between Glass

Line #	Location:	Attributes
--------	-----------	------------

10 Unfinished Basement

Pella Entry Doors, Double Entry Door, Inswing, 62 X 81.625, 4 9/16"

Item Price	Qty	Ext'd Price
\$1,703.57	1	\$1,703.57



PK #
2148

Viewed From Exterior

1: 6281.625 Double Entry Door
Frame Size: 62 X 81 5/8
Unit Type: Active/Inactive Inswing, Standard Sill, No Fire Rating, No Fire Rating
Dimensions: 60, 80
Dimension Options: No Cut Down
General Information: Standard, 4 9/16", 4 9/16"
Panel Style: 6 Panel
Panel Selection: Smooth Fiberglass, Primed, Primed
Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Primed, Composite, Smooth, Primed
Hardware Options: Latch Bore with Deadbolt, No Bore, 2 3/4", 2 1/8", No Integrated Sensor, No Handle Set, No Handle Set, Flush Bolts, Satin Nickel, Standard Steel Ball Bearing, Matte Black, Black Finish Sill
Performance Information: U-Factor 0.15, SHGC 0.01, CPD PEL-M-258-39344-00001, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45
Wrapping Information: 2" Brickmould, Factory Applied, 4 9/16", Pella Recommended Clearance, Perimeter Length = 288".


Rough Opening: 62 - 3/4" X 82 - 1/8"

Line #	Location:	Attributes
--------	-----------	------------

15 Basement Unfinished

Lifestyle, Double Hung, 37 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
\$613.22	3	\$1,839.66





PK #
2148

Viewed From Exterior

1: 3759 Double Hung, Equal
Frame Size: 37 X 59
Unit Type: Lifestyle Pro
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
 Exterior Color / Finish: **Standard Enduraclad, Black**
 Interior Color / Finish: **Black Stain Interior**
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor
Screen: Full Screen, Black, InView™
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Clear Opening Width 33.812, Clear Opening Height 26.25, Clear Opening Area 6.163646, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".

Rough Opening: 37 - 3/4" X 59 - 3/4"

Line #	Location:	Attributes			
20	Rec Room Stairs	Lifestyle, Sash Set, Fixed, 25 X 47, Without HGP, Black	Item Price	Qty	Ext'd Price
			\$586.11	1	\$586.11
	 <p>PK # 2148</p> <p>Viewed From Exterior</p>	<p>1: 2547 Fixed Sash Set Frame Size: 25 X 47 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08 11 Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 144".</p>			
	Rough Opening: 25 - 3/4" X 47 - 3/4"				
	Customer Notes: TEMPERED				


Line #	Location:	Attributes			
25	Rec Room	Lifestyle, Double Sliding Door, Contemporary,, Vent Right / Fixed, 71.25 X 81.5, Without HGP, Black	Item Price	Qty	Ext'd Price
			\$2,612.62	1	\$2,612.62
	 <p>PK # 2148</p> <p>Viewed From Exterior</p>	<p>1: 7282 Vent Right / Fixed Double Sliding Door Frame Size: 71 1/4 X 81 1/2 Unit Type: No Program General Information: No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Black, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor Screen: Sliding Screen, Black Metal Interior Black Exterior, Matte Black, InView™ Performance Information: U-Factor 0.30, SHGC 0.28, VLT 0.51, CPD PEL-N-4-00362-00001, Performance Class R, PG 30, Year Rated 11 Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 306".</p>			
	Rough Opening: 72" X 82"				
	Customer Notes: QUOTED STANDARD 8' HEIGHT				
	ADD \$2,799.46 TO PRICE FOR A CUSTOM 7' 6" HEIGHT DOOR				

Line #	Location:	Attributes
--------	-----------	------------

30 Bedroom 3

Lifestyle, Double Hung, 37 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
\$613.22	2	\$1,226.44



PK #
2148

Viewed From Exterior

1: 3759 Double Hung, Equal
Frame Size: 37 X 59
Unit Type: Lifestyle Pro
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Clear Opening Width 33.812, Clear Opening Height 26.25, Clear Opening Area 6.163646, Egress Meets Typical 5.7 sqft (E) (United States Only)**
Grille: **No Grille,**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".**

Rough Opening: 37 - 3/4" X 59 - 3/4"


Customer Notes: MEETS EGRESS

Line #	Location:	Attributes
--------	-----------	------------

35 Exercise

Lifestyle, Double Hung, 37 X 59, Without HGP, Black

Item Price	Qty	Ext'd Price
\$613.22	1	\$613.22



PK #
2148

Viewed From Exterior

1: 3759 Double Hung, Equal
Frame Size: 37 X 59
Unit Type: Lifestyle Pro
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Clear Opening Width 33.812, Clear Opening Height 26.25, Clear Opening Area 6.163646, Egress Meets Typical 5.7 sqft (E) (United States Only)**
Grille: **No Grille,**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".**

Rough Opening: 37 - 3/4" X 59 - 3/4"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

40 W.I.C.

Lifestyle, Direct Set, Fixed Frame Arch Head, 36 X 60, Without HGP, Black

Item Price	Qty	Ext'd Price
\$2,392.87	1	\$2,392.87

Frame Radius = 30"




PK #
2148

Viewed From Exterior

1: 3660 Fixed Frame Direct Set Arch Head
Frame Size: 36 X 60 X 54
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-03367-00001, Performance Class AW, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 55, Year Rated 08|11
Grille: SDL w/Spacer, No Custom Grille, 7/8", Sunburst (3W2H)
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 183".

Rough Opening: 36 - 3/4" X 60 - 3/4"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
45	Office	Lifestyle, 2-Wide Double Hung, 50 X 71, Without HGP, Black	\$2,061.21	1	\$2,061.21



PK #
2148

Viewed From Exterior

1: 2571 Double Hung, Equal

Frame Size: 25 X 71

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**

Exterior Color / Finish: **Standard Enduraclad, Black**

Interior Color / Finish: **Black Stain Interior**

Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**

Hardware Options: **Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**

Screen: **Full Screen, Black, InView™**

Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Egress Does not meet typical United States egress, but may comply with local code requirements**

Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H / 2W2H)**

2: 2571 Double Hung, Equal

Frame Size: **25 X 71**

Unit Type: **No Program**

General Information: **No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color:** Black

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor

Screen: Full Screen, Black, InView™

Performance Information: U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Egress Does not meet typical United States egress, but may comply with local code requirements

Grille: SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H / 2W2H)

Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella

Recommended Clearance, Perimeter Length = 242".

Rough Opening: 50 - 3/4" X 71 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

50	Pantry	Lifestyle, Double Hung, 25 X 71, Without HGP, Black	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$1,019.22	1	\$1,019.22



Viewed From Exterior

PK #
2148

1: 2571 Double Hung, Equal
Frame Size: 25 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 21.812, Clear Opening Height 32.25, Clear Opening Area 4.884979, Egress Does not meet typical United States egress, but may comply with local code requirements**
Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H / 2W2H)**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".**

Rough Opening: 25 - 3/4" X 71 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

55	Laundry	Lifestyle, Double Hung, 25 X 71, Without HGP, Black	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$1,019.22	1	\$1,019.22



Viewed From Exterior

PK #
2148

1: 2571 Double Hung, Equal
Frame Size: 25 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 21.812, Clear Opening Height 32.25, Clear Opening Area 4.884979, Egress Does not meet typical United States egress, but may comply with local code requirements**
Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H / 2W2H)**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".**


Rough Opening: 25 - 3/4" X 71 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

65 3-Car Garage - Rear

Lifestyle, Double Hung, 37 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
\$759.78	2	\$1,519.56



PK #
2148

Viewed From Exterior

1: 3771 Double Hung, Equal
Frame Size: 37 X 71
Unit Type: Lifestyle Pro
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Clear Opening Width 33.812, Clear Opening Height 32.25, Clear Opening Area 7.572479, Egress Meets Typical 5.7 sqft (E) (United States Only)**
Grille: **No Grille,**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 216".**

Rough Opening: 37 - 3/4" X 71 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

70 Mud Room

Pella Entry Doors, Entry Door, Inswing, 33.5 X 97.625, 6 9/16"

Item Price	Qty	Ext'd Price
\$1,350.20	1	\$1,350.20



PK #
2148

Viewed From Exterior

1: 33.597.625 Entry Door
Frame Size: 33 1/2 X 97 5/8
Unit Type: Right Inswing, Standard Sill, No Fire Rating, No Fire Rating
Dimensions: 32, 96
Dimension Options: No Cut Down
General Information: Standard, 6 9/16", 6 9/16"
Panel Style: Full Light
Glass: Tempered Low-E Argon
Grilles: No Grille
Panel Selection: Smooth Fiberglass, Primed, Primed
Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Primed, Composite, Smooth, Primed
Hardware Options: Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, No Handle Set, Standard Steel Ball Bearing, Matte Black, Black Finish Sill
Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35
Wrapping Information: 2" Brickmould, Factory Applied, 6 9/16", Pella Recommended Clearance, Perimeter Length = 263".

Rough Opening: 34 - 1/4" X 98 - 1/8"

Line #	Location:	Attributes
--------	-----------	------------

75	Bath 2	Lifestyle, Sash Set, Fixed, 35 X 17, Without HGP, Black	Item Price	Qty	Ext'd Price
			\$502.44	1	\$502.44



PK #
2148

Viewed From Exterior


1: 3517 Fixed Sash Set
Frame Size: 35 X 17
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00949-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 104".

Rough Opening: 35 - 3/4" X 17 - 3/4"

Customer Notes: TEMPERED

Line #	Location:	Attributes
--------	-----------	------------

80	Bedroom 2	Lifestyle, Double Hung, 41 X 71, Without HGP, Black	Item Price	Qty	Ext'd Price
			\$742.86	1	\$742.86



PK #
2148

Viewed From Exterior

1: 4171 Double Hung, Equal
Frame Size: 41 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor
Screen: Full Screen, Black, InView™
Performance Information: U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00426-00001, Clear Opening Width 37.812, Clear Opening Height 32.25, Clear Opening Area 8.468312, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 224".

Rough Opening: 41 - 3/4" X 71 - 3/4"


Customer Notes: MEETS EGRESS
41" is largest width in Lifestyle

Line #	Location:	Attributes
--------	-----------	------------

85 Dining Room - Side

Lifestyle, Double Hung, 41 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
\$907.07	1	\$907.07



PK #
2148

Viewed From Exterior

1: 4171 Double Hung, Equal
Frame Size: 41 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 2 Locks, Matte Black, No Limited Opening Hardware, Order Sash Lift, 2 Lifts, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.30, VLT 0.56, CPD PEL-N-35-00427-00001, Clear Opening Width 37.812, Clear Opening Height 32.25, Clear Opening Area 8.468312, Egress Meets Typical 5.7 sqft (E) (United States Only)**
Grille: **No Grille,**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 224".**

Rough Opening: 41 - 3/4" X 71 - 3/4"


Customer Notes: TEMPERED - POSSIBLE EXTERIOR STAIRS

Line #	Location:	Attributes
--------	-----------	------------

86 Dining Room- Rear

Impervia, Sliding Window, Vent Right / Fixed / Vent Left, 107.5 X 71.5, Black

Item Price	Qty	Ext'd Price
\$1,709.02	1	\$1,709.02



PK #
2148


Viewed From Exterior

1: Non-Standard Size Vent Right / Fixed / Vent Left Triple Slider
Frame Size: 107 1/2 X 71 1/2
General Information: Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"
Exterior Color / Finish: Black
Interior Color / Finish: Black
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Matte Black, No Limited Opening Hardware
Screen: Half Screen, InView™
Performance Information: U-Factor 0.30, SHGC 0.28, VLT 0.51, CPD PEL-N-103-01024-00002, Clear Opening Width 24.59375, Clear Opening Height 67.9375, Clear Opening Area 11.60304, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 358".
Venting Width: 1/4 Vent

Rough Opening: 108" X 72"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

90 Dining Room



PK #
2148

Viewed From Exterior

Lifestyle, Double Sliding Door, Contemporary,, Fixed / Vent Left, 59.25 X 95.5, Without HGP, Black

Item Price	Qty	Ext'd Price
\$3,204.46	1	\$3,204.46

1: 6096 Fixed / Vent Left Double Sliding Door

Frame Size: 59 1/4 X 95 1/2

Unit Type: No Program

General Information: No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold

Exterior Color / Finish: Standard Enduraclad, Black

Interior Color / Finish: Black Stain Interior

Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude

Hardware Options: Black, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor

Screen: Sliding Screen, Black Metal Interior Black Exterior, Matte Black, InView™

Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-230-00082-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11

Grille: No Grille,

Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 310".

Rough Opening: 60" X 96"

Line #	Location:	Attributes
--------	-----------	------------

105 Great Room

**Lifestyle, Direct Set, Lifestyle, Direct Set, Lifestyle, Direct Set, Lifestyle, Direct Set,
188 X 47.984, Without HGP, Black**

Item Price	Qty	Ext'd Price
\$7,635.72	1	\$7,635.72



PK #
2148

Viewed From Exterior

1: 4437.68412 Fixed Frame Direct Set Partial Arch Head, Facing: Left
Frame Size: 44 X 37 11/16 X 6 1/16
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-03365-00001, Performance Class AW, PG 70, Calculated Positive DP Rating 70, Calculated Negative DP Rating 70, Year Rated 08|11
Grille: No Grille,

2: 4447.98417 Fixed Frame Direct Set Partial Arch Head, Facing: Left
Frame Size: 44 X 48 X 39 5/16
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-03365-00001, Performance Class AW, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 55, Year Rated 08|11
Grille: No Grille,

3: 4447.98417 Fixed Frame Direct Set Partial Arch Head, Facing: Right
Frame Size: 44 X 48 X 39 5/16
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-03365-00001, Performance Class AW, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 55, Year Rated 08|11
Grille: No Grille,

4: 4437.68412 Fixed Frame Direct Set Partial Arch Head, Facing: Right
Frame Size: 44 X 37 11/16 X 6 1/16
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-03365-00001, Performance Class AW, PG 70, Calculated Positive DP Rating 70, Calculated Negative DP Rating 70, Year Rated 08|11
Grille: No Grille,
Vertical Mull 1: AlignedWith, 4"
Vertical Mull 2: AlignedWith, 4"
Vertical Mull 3: AlignedWith, 4"
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 413".


Rough Opening: 44 - 3/4" X 38 - 7/16

Line #	Location:	Attributes
--------	-----------	------------

106 Great Room

Lifestyle, Quad Sliding Door, Contemporary,, Fixed / Vent Left / Vent Right / Fixed, 188.125 X 95.5, Without HGP, Black

Item Price	Qty	Ext'd Price
\$6,003.11	1	\$6,003.11



PK #
2148

Viewed From Exterior

1: 18996 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door
Frame Size: 188 1/8 X 95 1/2
General Information: No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Black, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor
Screen: No Screen, Matte Black
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-230-00082-00001, Performance Class R, PG 20, Calculated Positive DP Rating 20, Calculated Negative DP Rating 20, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Applied By Branch, Pella Recommended Clearance, Perimeter Length = 568".

Rough Opening: 189 - 1/8" X 96"


Customer Notes: NO SCREEN

Line #	Location:	Attributes
--------	-----------	------------

110 Master Bedroom

Lifestyle, Double Sliding Door, Contemporary,, Vent Right / Fixed, 71.25 X 95.5, Without HGP, Black

Item Price	Qty	Ext'd Price
\$3,311.38	1	\$3,311.38



PK #
2148

Viewed From Exterior

1: 7296 Vent Right / Fixed Double Sliding Door
Frame Size: 71 1/4 X 95 1/2
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Factory Assembled, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Black, Standard, Handle Included, Handle Included, Matte Black, Black, No Integrated Sensor
Screen: Sliding Screen, Black Metal Interior Black Exterior, Matte Black, InView™
Performance Information: U-Factor 0.28, SHGC 0.27, VLT 0.51, CPD PEL-N-230-00082-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 334".


Rough Opening: 72" X 96"

Line #	Location:	Attributes
--------	-----------	------------

125 Master Bath

Impervia, Awning, Vent, 35.5 X 41.5, Black

Item Price	Qty	Ext'd Price
\$856.85	1	\$856.85



PK #
2148

Viewed From Exterior

1: 3642 Vent Awning
Frame Size: 35 1/2 X 41 1/2
General Information: Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 5/16", 1 15/16"
Exterior Color / Finish: Black
Interior Color / Finish: Black
Glass: Insulated Dual Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Limited Opening Hardware, Sill
Screen: Full Screen, InView™
Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.49, CPD PEL-N-278-00567-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Egress Not Applicable
Grille: No Grille,
Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 154".

Rough Opening: 36" X 42"

Customer Notes: TEMPERED

Line #	Location:	Attributes
--------	-----------	------------

130 Master Bath

Lifestyle, Sash Set, Fixed, 35 X 17, Without HGP, Black

Item Price	Qty	Ext'd Price
\$426.20	2	\$852.40



PK #
2148

Viewed From Exterior

1: 3517 Fixed Sash Set
Frame Size: 35 X 17
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.31, VLT 0.58, CPD PEL-N-229-00861-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 104".

Rough Opening: 35 - 3/4" X 17 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

135 Master Bath

Lifestyle, Double Hung, 25 X 71, Without HGP, Black

Item Price	Qty	Ext'd Price
\$1,019.22	1	\$1,019.22



PK #
2148

Viewed From Exterior

1: 2571 Double Hung, Equal
Frame Size: 25 X 71
Unit Type: No Program
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16", Jambliner Color: **Black**
Exterior Color / Finish: **Standard Enduraclad, Black**
Interior Color / Finish: **Black Stain Interior**
Glass: **Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Hardware Options: **Cam-Action Lock, 1 Lock, Matte Black, No Limited Opening Hardware, Order Sash Lift, 1 Lift, No Integrated Sensor**
Screen: **Full Screen, Black, InView™**
Performance Information: **U-Factor 0.30, SHGC 0.27, VLT 0.50, CPD PEL-N-35-00426-00003, Clear Opening Width 21.812, Clear Opening Height 32.25, Clear Opening Area 4.884979, Egress Does not meet typical United States egress, but may comply with local code requirements**
Grille: **SDL w/Spacer, No Custom Grille, 7/8", Traditional (2W2H / 2W2H)**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 192".**


Rough Opening: 25 - 3/4" X 71 - 3/4"

Line #	Location:	Attributes		
--------	-----------	------------	--	--

140 Gable

Lifestyle, Direct Set, Fixed Frame Arch Head, 24 X 36, Without HGP, Black

Item Price	Qty	Ext'd Price
\$2,024.12	1	\$2,024.12



PK #
2148

Viewed From Exterior

1: 2436 Fixed Frame Direct Set Arch Head
Frame Size: 24 X 36 X 30
General Information: No Package, Without Hinged Glass Panel, Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Black Stain Interior
Glass: **Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude**
Performance Information: **U-Factor 0.29, SHGC 0.29, VLT 0.55, CPD PEL-N-18-03367-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, Year Rated 08|11**
Grille: **SDL w/Spacer, No Custom Grille, 7/8", Sunburst (3W1H)**
Wrapping Information: **Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 112".**

Rough Opening: 24 - 3/4" X 36 - 3/4"

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
145	None Assigned	TRFUELSURCHARGE - Fuel Surcharge - TRADE	\$75.00	1	\$75.00

Thank You For Purchasing Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Pella Mid-Atlantic, Inc. (the “Seller”)

QUOTE:

Due to unprecedented volatility in the market surrounding home improvement materials pricing, this quote is subject to change based on increases from Pella Corporation and our other suppliers. Seller cannot guarantee these prices until the project is purchased. Seller will do its best to honor the original pricing but based on circumstances out of its control, this may not be possible. The Seller is not responsible for delays due to labor troubles, fire, accidents, transportation, or other causes beyond its control.

CONTRACT:

This Contract constitutes the sole and complete agreement between the Purchaser and Seller and is subject to additional charges should changes be required. No statement, representation or agreement, written or verbal, not appearing on the face of this Contract is binding on the Seller. This Contract is binding upon the Seller only upon acceptance by an authorized executive of the Seller at the home office. All agreements are subject to prior sale, government regulations and requirements. If Contract is not approved, the Purchaser will be notified within fourteen (14) days of Contract date, otherwise the same is automatically approved.

MATERIALS TO BE FURNISHED:

Contract is based upon quantities, unit sizes, and unit numbers as sketched and listed on enclosed proposal, as well as equipment and fittings as specified. Drawings are as viewed from the exterior. Purchaser should carefully check quantities, sizes, and specifications.

Note: All Pella products are custom built for your specific project, designed for professional installation and non-returnable. It is the responsibility of the Purchaser to verify all sizes and window attributes prior to ordering. Seller is not responsible or liable for inaccurate measurements. Installers will often have different preferences on how they measure or install windows and doors. Due to these variances, it is imperative your project manager or installer is involved in the measuring process.

Purchaser has verified that all attributes and sizes are correct.

[INITIAL] _____

If Seller is doing the installation, then Seller is responsible for the sizing on replacement projects only.

Unless otherwise noted:

- Pella wood windows and sliding glass doors are factory primed on the exterior (excludes Mahogany).
- Units with wood exterior, assembled by the Seller include standard brickmould, subsill and outside mullion covers.

DELIVERY:

PURCHASER MUST FURNISH HELP TO UNLOAD AT TIME OF DELIVERY. Purchaser is responsible for checking the material upon arrival. Any shortage or damage must be noted on the delivery/packing list. No claims will be considered unless Seller is notified within seventy-two (72) hours from the date of delivery. Seller will deliver the goods covered by this Contract within a commercially reasonable time from the date of Contract ratification given supply and market conditions, unless otherwise expressly stated in this written contract.

Purchaser agrees to take receipt of all materials within 30 days of either original requested need by date or actual date of arrival at Seller’s warehouse, whichever is later. After 30 days, materials will be subject to a recurring monthly storage fee equal to 20% of product contracted price. All storage fees are required to be paid in whole prior to product delivery. Exceptions for screens and hardware items must be requested and approved prior to order placement.

PAYMENT TERMS:

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Materials purchased through Service or Parts department must be prepaid in full and do not qualify for the payment schedules below.

If Seller is doing the installation, the following payment schedule is applied:

PAYMENT SCHEDULE		
Deposit Amount: \$ (30% - Due when Contract signed)	Delivery Payment: \$ (60% - Due on the first day of work/delivery)	Final Payment: \$ (10% Due at substantial completion)

For Delivery only:

Unless you have been approved for "Net 30 Days," a 50% Deposit must be made upon execution of this Contract. The remaining 50% balance must be received from Purchaser not less than five (5) days prior to Anticipated Delivery Date. Purchaser must make payment by credit card (no checks will be accepted).

In all payment scenarios, when Purchaser supplies the credit card number for the deposit, Purchaser agrees that Seller may retain the credit card information in a PCI compliant system, and that Seller is authorized to use this card for making final payment. To be clear, Purchaser is authorizing Seller to use Purchaser's card on file to make final payment five days prior to delivery. _____ [INITIAL]

NET 30 DAYS (if applicable): Net 30 terms are subject to approval by Seller of Purchaser's credit. A one- and one-half percent (1.5%) per month (annual percentage rate of eighteen percent) late charge will apply to all payments over thirty (30) days past due computed on the basis of the balance outstanding at the end of each monthly statement period.

SELLER REMEDIES:

Seller reserves a security interest in the goods sold pursuant to this Contract under the applicable provisions of Article 9 -Secured Transactions-Uniform Commercial Code. Seller further reserves the right to perfect and enforce any statutory lien, including any mechanic's contractor's or materialmen's lien, arising under local law to secure payment of the account debt arising under this Contract. In the event Seller employs an attorney-at-law after Purchaser has defaulted in its payment as agreed under the terms of this contract, then Purchaser shall pay Seller a collection fee in a fixed and stipulated sum equal to twenty percent (20%) of the outstanding principal account balance at tile time of buyers default, or two thousand five hundred dollars (\$2,500), whichever is greater, together with any court or litigation costs incurred by Seller in collecting the account debt arising under this contract.

LIMITATION OF WARRANTIES AND DAMAGES:

Seller expressly warrants the goods sold under this contract will be as described in this contract. ALL OTHER WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY DISCLAIMED. Purchaser's remedy for breach shall be limited to replacement of the goods sold or to a return of the goods and a refund of their purchase price, at Purchaser's option, which shall be the Purchaser's sole remedy in the event of Seller's breach in the performance of this contract. Seller shall not be liable for any consequential or incidental damages for breach of any warranty.

Project Checklist has been reviewed

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Credit Card Approval Signature

Order Totals	
Taxable Subtotal	\$46,712.55
Sales Tax @ 5.3%	\$2,475.77
Non-taxable Subtotal	\$75.00
Total	\$49,263.32
Deposit Received	\$0.00
Amount Due	\$49,263.32